



SAFETY DATA SHEET

Arbokol 1025 SP Base

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Arbokol 1025 SP Base

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier Adshead Ratcliffe & Co. Ltd.
 Derby Road, Belper
 Derbyshire.
 DE56 1WJ
 Tel. (+44) 01773 826661
 Fax. (+44) 01773 821215
 sds@arbo.co.uk

1.4. Emergency telephone number

Emergency telephone (+44) 01773 826661 (office hours only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


Classification (EC 1272/2008)

Physical hazards Not Classified
Health hazards Skin Irrit. 2 - H315 Skin Sens. 1 - H317
Environmental hazards Aquatic Chronic 2 - H411

Environmental The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

2.2. Label elements

Pictogram



Signal word Warning

Hazard statements H315 Causes skin irritation.
 H317 May cause an allergic skin reaction.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements P280 Wear protective gloves.
 P273 Avoid release to the environment.
 P501 Dispose of contents/ container to ...

Contains TRIETHYLENETETRAMINE

Arbokol 1025 SP Base

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|-------------------------------|----------------------|
| HYDROGENATED TERPHENYL | 5-10% |
| CAS number: 61788-32-7 | EC number: 262-967-7 |

Classification

Aquatic Chronic 4 - H413

| | |
|-----------------------------|----------------------|
| TRIETHYLENETETRAMINE | 1-5% |
| CAS number: 112-24-3 | EC number: 203-950-6 |

Classification

Acute Tox. 4 - H312

Skin Corr. 1B - H314

Skin Sens. 1 - H317

Aquatic Chronic 3 - H412

| | |
|------------------------|-------------------------|
| TERPHENYL | <1% |
| CAS number: 26140-60-3 | EC number: 247-477-3 |
| M factor (Acute) = 10 | M factor (Chronic) = 10 |

Classification

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|---|
| General information | In all cases of doubt, or if symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. |
| Inhalation | Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues. |
| Ingestion | Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily available. Get medical attention if any discomfort continues. |
| Skin contact | Wipe off excess material with cloth or paper. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues. |
| Eye contact | Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|---------------------|---|
| Inhalation | No specific symptoms known. |
| Ingestion | May cause discomfort if swallowed. May cause irritation to mouth, throat and stomach. |
| Skin contact | Skin irritation. Allergic rash. |

Arbokol 1025 SP Base

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Toxic gases or vapours.

Hazardous combustion products Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear self contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up When handling waste, the safety precautions applying to handling of the product should be considered. Wear necessary protective equipment. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. The product contains a substance which is hazardous to aquatic organisms and which may cause long term adverse effects in the aquatic environment. See section 12. For waste disposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Persons susceptible to allergic reactions should not handle this product. Good personal hygiene procedures should be implemented.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Miscellaneous hazardous material storage.

7.3. Specific end use(s)

Arbokol 1025 SP Base

| | |
|----------------------------|---|
| Specific end use(s) | The identified uses for this product are detailed in Section 1.2. |
| Usage description | Gunnable sealant / adhesive. |

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

HYDROGENATED TERPHENYL

Short-term exposure limit (15-minute): 0.5 ppm 4.8 mg/m³

TERPHENYL

Short-term exposure limit (15-minute): WEL 0.5 ppm 4.8 mg/m³

WEL = Workplace Exposure Limit

HYDROGENATED TERPHENYL (CAS: 61788-32-7)

DNEL

Workers - Inhalation; Long term systemic effects: 8.38 mg/m³
 Workers - Inhalation; Long term local effects: 83.8 mg/m³
 Workers - Dermal; Long term systemic effects: 46.3 mg/kg/day
 Workers - Dermal; Long term local effects: 0.2 mg/cm²
 General population - Inhalation; Long term systemic effects: 2.5 mg/m³
 General population - Inhalation; Long term local effects: 25 mg/m³
 General population - Dermal; Long term systemic effects: 27.8 mg/kg/day
 General population - Dermal; Long term local effects: 0.123 mg/cm²
 General population - Oral; Long term systemic effects: 0.3 mg/kg/day

PNEC

- Fresh water; 0.0001 mg/l
 - Marine water; 0.00001 mg/l
 - Intermittent release; 0.001 mg/l
 - STP; 10.3 mg/l
 - Sediment (Freshwater); 3.16 mg/kg
 - Sediment (Marinewater); 0.316 mg/kg
 - Soil; 0.631 mg/kg
 - Oral (food); 0.22 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

Hand protection

Use protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Other skin and body protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures

Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated.

Arbokol 1025 SP Base

Environmental exposure controls Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Appearance | Paste. |
| Colour | Buff. |
| Odour | Slight. |
| Odour threshold | Not applicable. |
| pH | Not applicable. |
| Melting point | Not applicable. |
| Initial boiling point and range | Not applicable. |
| Flash point | Not applicable. |
| Evaporation rate | Not applicable. |
| Upper/lower flammability or explosive limits | Not applicable. |
| Vapour pressure | Not applicable. |
| Vapour density | Not applicable. |
| Relative density | 1.10 @ 20°C |
| Solubility(ies) | Insoluble in water. |
| Partition coefficient | Not applicable. |
| Auto-ignition temperature | Not applicable. |
| Decomposition Temperature | Not determined. |
| Viscosity | 12,000 - 15,000 P @ 20°C |
| Explosive properties | Not applicable. |
| Oxidising properties | The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising. |

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not determined. Will not polymerise.

10.4. Conditions to avoid

Arbokol 1025 SP Base

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong acids. Strong alkalis. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects There are no data available on this product.

Acute toxicity - dermal

ATE dermal (mg/kg) 48,921.5

Skin corrosion/irritation

Animal data For this endpoint no toxicological data is available for the whole product.

Serious eye damage/irritation

Serious eye damage/irritation For this endpoint no toxicological data is available for the whole product.

Skin sensitisation

Skin sensitisation The product contains a small amount of a sensitising substance which may cause an allergic reaction in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro For this endpoint no toxicological data is available for the whole product.

Carcinogenicity

Carcinogenicity For this endpoint no toxicological data is available for the whole product.

Reproductive toxicity

Reproductive toxicity - fertility For this endpoint no toxicological data is available for the whole product.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant, due to the form of the product.

Inhalation

No specific health hazards known.

Ingestion

May cause discomfort if swallowed.

Skin contact

Irritating to skin. May cause sensitisation by skin contact.

Eye contact

May cause temporary eye irritation.

Acute and chronic health hazards

Mild dermatitis, allergic skin rash. Defatting, drying and cracking of skin.

Toxicological information on ingredients.

HYDROGENATED TERPHENYL

Arbokol 1025 SP Base

Acute toxicity - oral

Notes (oral LD₅₀) LD₅₀ > 10000 mg/kg, Oral, Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2,000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) LC₅₀ > 4.7 mg/l/4hr/day, Inhalation, Rat

Skin corrosion/irritation

Animal data Not irritating.

Serious eye damage/irritation

Serious eye damage/irritation Not irritating.

Skin sensitisation

Skin sensitisation Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Negative.

Genotoxicity - in vivo Negative.

Carcinogenicity

Carcinogenicity NOAEL 50 mg/week, Dermal, Mouse

Reproductive toxicity

Reproductive toxicity - fertility Two-generation study - NOAEL 1000 ppm, Oral, Rat P Two-generation study - NOAEL 1000 ppm, Oral, Rat F1

Reproductive toxicity - development Maternal toxicity: - NOAEL: 125 mg/kg/day, Oral, Rat Fetotoxicity: - NOAEL: 500 mg/kg/day, Oral, Rat

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 12 mg/kg/day, Oral, Rat NOAEL 100 mg/m³, Inhalation, Rat NOAEL 2000 mg/kg/day, Dermal, Rabbit

TRIETHYLENETETRAMINE

Acute toxicity - oral

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 1,465.0

Species Rabbit

ATE dermal (mg/kg) 1,465.0

SECTION 12: Ecological Information

Ecotoxicity

The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Arbokol 1025 SP Base

Toxicity There are no data for the product.

Ecological information on ingredients.

HYDROGENATED TERPHENYL

| | |
|---|--|
| Acute toxicity - fish | LC ₅₀ , 96 hours: >1000 mg/l, Algae |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 48 hours: > 1.34 mg/l, Daphnia magna |
| Acute toxicity - aquatic plants | EC ₅₀ , 48 hours: > 320 mg/l, Pseudokirchneriella subcapitata |
| Acute toxicity - microorganisms | NOEC, 3 hours: 103 mg/l, Activated sludge |

TRIETHYLENETETRAMINE

| | |
|---|--|
| Acute toxicity - fish | LC ₅₀ , 96 hours: 330 mg/l, Pimephales promelas (Fat-head Minnow) |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 48 hours: 31.1 mg/l, Daphnia magna |
| Acute toxicity - aquatic plants | EC ₁₀₀ , 72 hours: 20 mg/l, Pseudokirchneriella subcapitata |
| Chronic toxicity - aquatic invertebrates | NOEC, 21 days: 1.9 mg/l, Daphnia magna |

TERPHENYL

Acute aquatic toxicity

| | |
|---|---|
| LE(C)₅₀ | 0.01 < L(E)C ₅₀ ≤ 0.1 |
| M factor (Acute) | 10 |
| Acute toxicity - fish | LC ₅₀ , 96 hours: 27 mg/l, Algae |
| Acute toxicity - aquatic invertebrates | EC ₅₀ , 48 hours: 0.27 mg/l, Daphnia magna |
| <u>Chronic aquatic toxicity</u> | |
| M factor (Chronic) | 10 |

12.2. Persistence and degradability

Persistence and degradability This product is not expected to be readily biodegradable.

Ecological information on ingredients.

TRIETHYLENETETRAMINE

Persistence and degradability The product is not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

Partition coefficient Not applicable.

Arbokol 1025 SP Base

Ecological information on ingredients.

HYDROGENATED TERPHENYL

Bioaccumulative potential BCF: 700 - 5200,

Partition coefficient log Pow: 6.5

TRIETHYLENETETRAMINE

Bioaccumulative potential BCF < 100

Partition coefficient log Pow: 2.65 Estimated

TERPHENYL

Partition coefficient : log Pow 6.03

12.4. Mobility in soil

Mobility The product is insoluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods May be mixed with curing agent component to give an inert polymeric material.

Waste class H4 - Irritant H13 - Sensitising H14 - Ecotoxic Recommended EWC Code 08 04 09*

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3077

UN No. (IMDG) 3077

UN No. (ICAO) 3077

UN No. (ADN) 3077

14.2. UN proper shipping name

Proper shipping name (ADR/RID) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

14.3. Transport hazard class(es)

ADR/RID class 9

Arbokol 1025 SP Base

| | |
|-----------------------------|----|
| ADR/RID classification code | M7 |
| ADR/RID label | 9 |
| IMDG class | 9 |
| ICAO class/division | 9 |
| ADN class | 9 |

Transport labels



14.4. Packing group

| | |
|-----------------------|-----|
| ADR/RID packing group | III |
| IMDG packing group | III |
| ADN packing group | III |
| ICAO packing group | III |

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

| | |
|--|----------|
| EmS | F-A, S-F |
| ADR transport category | 3 |
| Emergency Action Code | 2Z |
| Hazard Identification Number (ADR/RID) | 90 |
| Tunnel restriction code | (E) |

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|----------------|--|
| EU legislation | Regulation (EC) 1907/2006 REACH (as amended). Regulation (EC) 1272/2008 CLP (as amended). |
|----------------|--|

| | |
|----------|---------------------------------|
| Guidance | Workplace Exposure Limits EH40. |
|----------|---------------------------------|

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|-------------------|----------------|
| Revision comments | General review |
| Revision date | 10/05/2017 |
| Revision | 1 |

Arbokol 1025 SP Base

| | |
|----------------------------------|---|
| Supersedes date | 01/06/2015 |
| SDS number | 10286 |
| Hazard statements in full | H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.