



SAFETY DATA SHEET ARBOMERIC MP 10

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name ARBOMERIC MP 10

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Sealant. Adhesive.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier Adshead Ratcliffe & Co. Ltd.
Derby Road, Belper
Derbyshire.
DE56 1WJ
T: (+44) 01773 826661
F: (+44) 01773 821215
E: sds.carlisle@ccm-europe.com

1.4. Emergency telephone number

Emergency telephone NPIS (National Poisons Information Service): 0344 892 0111 (for medical professionals only). For medical advice, members of the public should contact NHS 111 in England: 111; NHS 24 in Scotland: 111; NHS Direct in Wales: 111 or 0845 4647. In Northern Ireland: contact your local GP or pharmacist.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Supplemental label information EUH208 Contains Trimethoxyvinylsilane, N-(3-(Trimethoxysilyl)propyl)ethylenediamine, Diocetylbis(pentane-2,4-dionato-O,O')tin. May produce an allergic reaction.
EUH210 Safety data sheet available on request.
EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Curing process releases a small amount of methanol.

ARBOMERIC MP 10

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Trimethoxyvinylsilane		< 1%
CAS number: 2768-02-7	EC number: 220-449-8	REACH registration number: 01-2119513215-52-XXXX
Classification		
Flam. Liq. 2 - H225		
Acute Tox. 4 - H332		
Skin Sens. 1B - H317		
N-(3-(Trimethoxysilyl)propyl)ethylenediamine		< 1%
CAS number: 1760-24-3	EC number: 217-164-6	REACH registration number: 01-2119970215-39-XXXX
Classification		
Acute Tox. 4 - H332		
Eye Dam. 1 - H318		
Skin Sens. 1B - H317		
STOT RE 2 - H373		
Diocetylbis(pentane-2,4-dionato-O,O')tin		< 1%
CAS number: 54068-28-9	EC number: 483-270-6	REACH registration number: 01-0000020199-67-XXXX
Classification		
Skin Sens. 1 - H317		
STOT SE 2 - H371		

The full text for all hazard statements is displayed in Section 16.

Composition comments Light colours of this product may contain at least 1% of titanium dioxide but less than 1% of all particles have a diameter $\leq 10 \mu\text{m}$ therefore the classification Carc. 2; H351 does not apply. The labelling statement, EUH212 ('Warning! Hazardous respirable dust may be formed when used. Do not breathe dust') applies however considering the form and use of the product it is unlikely that respirable dust will be generated.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.

ARBOMERIC MP 10

Skin contact	It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Curing process releases a small amount of methanol.
Inhalation	No specific symptoms known.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals.
Eye contact	May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.
Specific treatments	Antidote for methanol poisoning is ethanol.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	None known.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid contact with skin and eyes.
-----------------------------	---

ARBOMERIC MP 10

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect and place in suitable waste disposal containers and seal securely. Clean contaminated objects and areas thoroughly, observing environmental regulations. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

Storage class Combustible solids that can not be assigned to any of the aforementioned LGK

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Titanium dioxide

Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust

Methanol

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through the skin.

Trimethoxyvinylsilane (CAS: 2768-02-7)

DNEL

Workers - Inhalation; Long term systemic effects: 27.6 mg/m³

Workers - Dermal; Long term systemic effects: 3.9 mg/kg/day

ARBOMERIC MP 10

N-(3-(Trimethoxysilyl)propyl)ethylenediamine (CAS: 1760-24-3)

PNEC	Fresh water; 0.062 mg/l
	marine water; 0.006 mg/l
	STP; 25 mg/l
	Sediment (Freshwater); 0.22 mg/kg
	Sediment (Marinewater); 0.022 mg/kg

Diocylbis(pentane-2,4-dionato-O,O')tin (CAS: 54068-28-9)

DNEL	Workers - Inhalation; Long term systemic effects: 84 mg/m ³
	Workers - Inhalation; Short term systemic effects: 84 mg/m ³
	Workers - Inhalation; Long term local effects: 0.091 mg/m ³
	Workers - Inhalation; Short term local effects: 0.091 mg/m ³
	Workers - Dermal; Long term systemic effects: 0.07 mg/kg/day

Methanol (CAS: 67-56-1)

DNEL	Workers - Inhalation; Long term systemic effects: 130 mg/m ³
	Workers - Inhalation; Short term systemic effects: 130 mg/m ³
	Workers - Inhalation; Long term local effects: 130 mg/m ³
	Workers - Inhalation; Short term local effects: 130 mg/m ³
	Workers - Dermal; Long term systemic effects: 20 mg/kg/day
	Workers - Dermal; Short term systemic effects: 20 mg/kg/day

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Wear tight-fitting, chemical splash goggles or face shield.

Hand protection

It is recommended that chemical-resistant, impervious gloves are worn. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

Other skin and body protection

May cause skin sensitisation or allergic reactions in sensitive individuals. Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

ARBOMERIC MP 10

Respiratory protection	No specific requirements are anticipated under normal conditions of use. Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
Environmental exposure controls	Keep container tightly sealed when not in use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paste.
Colour	Various colours.
Odour	Mild.
Odour threshold	Not determined.
pH	Technically not feasible.
Melting point	No information available.
Initial boiling point and range	No information available.
Flash point	Not applicable.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Vapour pressure	No information available.
Vapour density	No information available.
Relative density	1.42 - 1.46 @ 20°C
Solubility(ies)	Insoluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	~ 400°C
Decomposition Temperature	Not determined.
Viscosity	6,000 - 10,000 P @ 20°C
Explosive properties	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.

9.2. Other information

Other information	Not available.
--------------------------	----------------

SECTION 10: Stability and reactivity

ARBOMERIC MP 10

10.1. Reactivity

Reactivity See the other subsections of this section for further details.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No potentially hazardous reactions known. Curing process releases a small amount of methanol.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Carbon dioxide (CO₂). Carbon monoxide (CO). Nitrous gases (NO_x).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects There are no data available on this product.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation May cause sensitisation or allergic reactions in sensitive individuals.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

ARBOMERIC MP 10

Reproductive toxicity - development Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Not relevant. Solid.

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Curing process may release a small amount of methanol which is irritating to mucous membranes and has skin drying and narcotic effects.

Inhalation No specific symptoms known.

Ingestion May cause sensitisation or allergic reactions in sensitive individuals.

Skin contact May cause skin sensitisation or allergic reactions in sensitive individuals.

Eye contact May cause temporary eye irritation.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

Medical considerations Skin disorders and allergies.

Toxicological information on ingredients.

Trimethoxyvinylsilane

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 6,899.0

Species Rat

Notes (oral LD₅₀) LD₅₀ 7120 mg/kg, Oral, Rat

ATE oral (mg/kg) 6,899.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 3,158.0

Species Rabbit

Notes (dermal LD₅₀) LD₅₀ 3434 mg/kg, Dermal, Rabbit

ATE dermal (mg/kg) 3,158.0

Acute toxicity - inhalation

Summary Harmful if inhaled.

Acute toxicity inhalation (LC₅₀ vapours mg/l) 16.8

Species Rat

ARBOMERIC MP 10

ATE inhalation (vapours mg/l) 16.8

Skin sensitisation

Summary Skin Sens. 1B May cause an allergic skin reaction.

N-(3-(Trimethoxysilyl)propyl)ethylenediamine

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,295.0

Species Rat

ATE oral (mg/kg) 2,295.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Dermal, Rabbit

Acute toxicity - inhalation

Summary Harmful if inhaled.

Acute toxicity inhalation (LC₅₀ dust/mist mg/l) 1.49

Species Rat

ATE inhalation (dusts/mists mg/l) 1.49

Serious eye damage/irritation

Summary Causes serious eye damage.

Serious eye damage/irritation Causes serious eye damage. Rabbit

Skin sensitisation

Summary May cause an allergic skin reaction.

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Sensitising.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure STOT RE 2 May cause damage to organs (Respiratory tract) through prolonged or repeated exposure.

Target organs Respiratory tract

Diocylbis(pentane-2,4-dionato-O,O')tin

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,500.0

Species Rat

ATE oral (mg/kg) 2,500.0

Acute toxicity - dermal

Notes (dermal LD₅₀) LD₅₀ >2000 mg/kg, Oral, Rat

ARBOMERIC MP 10

Skin sensitisation

Summary Skin Sens. 1B May cause an allergic skin reaction.

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising.

Specific target organ toxicity - single exposure

Summary STOT SE 2 May cause damage to organs (Immune system, Thymus) through prolonged or repeated exposure.

STOT - single exposure NOAEL 1.8 mg/kg/day, Oral, Rat 7 days Read-across data.

Target organs Immune system Thymus

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Toxicity Based on available data the classification criteria are not met.

Acute aquatic toxicity

Summary Based on available data the classification criteria are not met.

Chronic aquatic toxicity

Summary Based on available data the classification criteria are not met.

Ecological information on ingredients.

Trimethoxyvinylsilane

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 191 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 168.7 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: >89 mg/l, Freshwater algae

N-(3-(Trimethoxysilyl)propyl)ethylenediamine

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 597 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 81 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: 8.8 mg/l mg/l, Algae

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates NOEC, 21 days: => 1 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

ARBOMERIC MP 10

Trimethoxyvinylsilane

Persistence and degradability Not readily biodegradable.

N-(3-(Trimethoxysilyl)propyl)ethylenediamine

Persistence and degradability The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation. Bioaccumulation is unlikely.

Partition coefficient No information available.

Ecological information on ingredients.

Trimethoxyvinylsilane

Bioaccumulative potential Bioaccumulation is unlikely.

N-(3-(Trimethoxysilyl)propyl)ethylenediamine

Bioaccumulative potential Bioaccumulation is unlikely.

12.4. Mobility in soil

Mobility No data available. The product is insoluble in water.

Ecological information on ingredients.

Trimethoxyvinylsilane

Adsorption/desorption coefficient Expected to have a low potential for adsorption.

N-(3-(Trimethoxysilyl)propyl)ethylenediamine

Adsorption/desorption coefficient - Koc: 0.2 @ 20°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Place waste in labelled, sealed containers.

Waste class Recommended EWC Code 08 04 10

SECTION 14: Transport information

ARBOMERIC MP 10

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

No information required.

14.2. UN proper shipping name

No information required.

14.3. Transport hazard class(es)

No information required.

14.4. Packing group

No information required.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

No information required.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information required.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Health and Safety at Work etc. Act 1974 (as amended).
Control of Substances Hazardous to Health Regulations 2002 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, UK SI 2019/720. The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020, UK SI 2020/1567.
The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, UK SI 2019/758, UK SI 2019/858 and UK SI 2019/1144. The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020, UK SI 2020/1577.

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
Commission Regulation (EU) No 2015/830 of 28 May 2015.
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Guidance

Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

ARBOMERIC MP 10

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.</p> <p>RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.</p> <p>IATA: International Air Transport Association.</p> <p>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>CAS: Chemical Abstracts Service.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>LC₅₀: Lethal Concentration to 50 % of a test population.</p> <p>LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose).</p> <p>EC₅₀: 50% of maximal Effective Concentration.</p> <p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p>
Key literature references and sources for data	Source: European Chemicals Agency, http://echa.europa.eu/ SDS from supplier.
Revision comments	Revised sections: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 15, 16.
Revision date	14/02/2022
Revision	2
Supersedes date	25/04/2017
SDS number	10204
Hazard statements in full	<p>H225 Highly flammable liquid and vapour.</p> <p>H317 May cause an allergic skin reaction.</p> <p>H318 Causes serious eye damage.</p> <p>H332 Harmful if inhaled.</p> <p>H371 May cause damage to organs (Immune system, Thymus).</p> <p>H373 May cause damage to organs (Respiratory tract) through prolonged or repeated exposure.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.